

Problem 1: Find the vertex, focus and directrix of the following parabolas and sketch its graph.

1. $3x^2 + 8y = 0$.

2. $y^2 + 6y + 2x + 1 = 0$.

3. $2x^2 - 16x - 3y + 38 = 0$.


① $3x^2 + 8y = 0 \Rightarrow x^2 = -\frac{8y}{3} \Rightarrow 4P = \frac{8}{3} \Rightarrow P = \frac{2}{3}$

↑
Standard Form 4

$\Rightarrow$ Focus is $\boxed{(0, -\frac{2}{3})}$,

directrix is $\boxed{y = \frac{2}{3}}$

and vertex is $\boxed{(0, 0)}$



② $y^2 + 6y + 2x + 1 = 0$

$\Rightarrow y^2 + 6y + 3^2 - 3^2 + 2x + 1 = 0 \Rightarrow (y+3)^2 - 9 + 2x + 1 = 0$

$\Rightarrow (y+3)^2 = -2x + 8 \Rightarrow (y+3)^2 = -2(x-4)$

let $\left. \begin{matrix} Y = y+3 \\ X = x-4 \end{matrix} \right\} \Rightarrow Y^2 = -2X$ Standard Form 2 in new coordinates

$\Rightarrow 4P = 2 \Rightarrow P = \frac{1}{2} \Rightarrow$ Focus is $\left. \begin{matrix} X = -\frac{1}{2} \\ Y = 0 \end{matrix} \right\} \Rightarrow \left. \begin{matrix} x-4 = -\frac{1}{2} \\ y+3 = 0 \end{matrix} \right\}$


Directrix is

$X = \frac{1}{2}$

$\Rightarrow x-4 = \frac{1}{2} \Rightarrow \boxed{x = \frac{9}{2}}$

$\Rightarrow$ Focus is $\boxed{(\frac{7}{2}, -3)}$

Vertex is at $X=0, Y=0 \Rightarrow x-4=0, y+3=0 \Rightarrow \boxed{(4, -3)}$



$$\begin{aligned}
 \textcircled{3} \quad 2x^2 - 16x - 3y + 38 &= 0 \Rightarrow 2(x^2 - 8x) - 3y + 38 = 0 \\
 &\Rightarrow 2(\underbrace{x^2 - 8x + 4^2 - 4^2}) - 3y + 38 = 0 \Rightarrow 2(x-4)^2 - 32 - 3y + 38 = 0 \\
 &\Rightarrow 2(x-4)^2 = 3y - 6 \Rightarrow 2(x-4)^2 = 3(y-2)
 \end{aligned}$$

$$\Rightarrow (x-4)^2 = \frac{3}{2}(y-2)$$

$$\text{Let } \left. \begin{array}{l} X = x-4 \\ Y = y-2 \end{array} \right\} \Rightarrow X^2 = \frac{3}{2}Y \Rightarrow 4P = \frac{3}{2} \Rightarrow P = \frac{3}{8}$$

(Standard form 3)

$\Rightarrow$ Focus in new coordinates is at $X=0, Y=\frac{3}{8}$

and directrix in new coordinates is $Y=-\frac{3}{8}$


$$\Rightarrow \text{Focus is at } x-4=0, y-2=\frac{3}{8} \Rightarrow \left(4, 2+\frac{3}{8}\right) = \boxed{\left(4, \frac{19}{8}\right)}$$

and equation of directrix is $y-2=-\frac{3}{8} \Rightarrow y=2-\frac{3}{8}$

vertex is at $X=0, Y=0$

$$\Rightarrow x-4=0, y-2=0 \Rightarrow \boxed{(4, 2)}$$

$$\Rightarrow \boxed{y = \frac{13}{8}}$$



Problem 2: Find the vertices and foci of the following ellipses and sketch its graph.

1. $x^2 + 9y^2 = 9$.

2. $9x^2 - 18x + 4y^2 = 27$.


3. $x^2 + 3y^2 + 2x - 12y + 10 = 0$.

① $x^2 + 9y^2 = 9 \Rightarrow \frac{x^2}{9} + \frac{y^2}{1} = 1 \Rightarrow a^2 = 9, b^2 = 1 \Rightarrow a = 3, b = 1$
 (Standard Form 1)

$\Downarrow$
 $c^2 = a^2 - b^2 = 9 - 1 = 8$

$\Rightarrow$ Vertices are $(\pm a, 0) = \boxed{(\pm 3, 0)}$

$\Rightarrow$ Foci are $(\pm c, 0) = (\pm \sqrt{8}, 0)$
 $= \boxed{(\pm 2\sqrt{2}, 0)}$



② $9x^2 - 18x + 4y^2 = 27 \Rightarrow 9(x^2 - 2x) + 4y^2 = 27$

$\Rightarrow 9(x^2 - 2x + 1 - 1) + 4y^2 = 27 \Rightarrow 9(x-1)^2 - 9 + 4y^2 = 27$

$\Rightarrow 9(x-1)^2 + 4y^2 = 27 + 9 = 36 \Rightarrow \frac{(x-1)^2}{4} + \frac{y^2}{9} = 1$

Let $\left. \begin{matrix} X = x-1 \\ Y = y \end{matrix} \right\} \Rightarrow \frac{X^2}{4} + \frac{Y^2}{9} = 1$

$\hookrightarrow$ Standard Form 2


$\Rightarrow b^2 = 4, a^2 = 9 \Rightarrow b = 2, a = 3$

For Standard form 2 :-

$\hookrightarrow$ Vertices are $X = 0, Y = \pm 3 \Rightarrow x-1 = 0, y = \pm 3$
 $\Rightarrow \boxed{(1, \pm 3)}$

$$c^2 = a^2 - b^2 = 9 - 4 = 5 \Rightarrow c = \sqrt{5}$$

→ foci are $X=0, Y=\pm\sqrt{5} \Rightarrow x-1=0, y=\pm\sqrt{5}$
 $\Rightarrow \boxed{(1, \pm\sqrt{5})}$



③ $x^2 + 3y^2 + 2x - 12y + 10 = 0 \Rightarrow x^2 + 2x + 1 - 1 + 3(y^2 - 4y + 4 - 4) + 10 = 0$
 $\Rightarrow (x+1)^2 - 1 + 3(y-2)^2 - 12 + 10 = 0$
 $\Rightarrow (x+1)^2 + 3(y-2)^2 = 3 \Rightarrow \frac{(x+1)^2}{3} + \frac{(y-2)^2}{1} = 1$

Let $\begin{cases} X = x+1 \\ Y = y-2 \end{cases} \Rightarrow \frac{X^2}{3} + \frac{Y^2}{1} = 1$ → Standard Form 1

$$a^2 = 3, b^2 = 1 \Rightarrow a = \sqrt{3}, b = 1$$

$$\Downarrow$$


$$c^2 = 3 - 1 = 2 \Rightarrow c = \sqrt{2}$$

For standard form 1,

→ the vertices are $X=\pm\sqrt{3}, Y=0 \Rightarrow x+1=\pm\sqrt{3}, y-2=0$
 $\Rightarrow \boxed{(-1\pm\sqrt{3}, 2)}$

→ the foci are $X=\pm\sqrt{2}, Y=0$

$$\Rightarrow x+1=\pm\sqrt{2}, y-2=0 \Rightarrow \boxed{(-1\pm\sqrt{2}, 2)}$$



Problem 3: Find the vertices, foci and asymptotes of the following hyperbolas and sketch its graph.

1. $y^2 - 16x^2 = 16$
2. $x^2 - y^2 + 2y = 2$
3. $9y^2 - 4x^2 - 36y - 8x = 4$.


① $y^2 - 16x^2 = 16 \Rightarrow \frac{y^2}{16} - \frac{x^2}{1} = 1$ (Standard form 2)

$\underbrace{a^2=16, b^2=1}_{c^2=a^2+b^2=17 \Rightarrow c=\sqrt{17}} \Rightarrow a=4, b=1 \left. \vphantom{\begin{matrix} a^2=16, b^2=1 \\ c^2=a^2+b^2=17 \end{matrix}} \right\} \Rightarrow$ vertices are $\boxed{(0, \pm 4)}$

Foci are $\boxed{(0, \pm \sqrt{17})}$

For the asymptotes, put the constant term to 0.

$\Rightarrow y^2 - 16x^2 = 0 \Rightarrow (y-4x)(y+4x) = 0 \Rightarrow \boxed{y = \pm 4x}$



$$\textcircled{2} \quad x^2 - y^2 + 2y = 2 \Rightarrow x^2 - (y^2 - 2y) = 2 \Rightarrow x^2 - \underbrace{(y^2 - 2y + 1 - 1)}_{(y-1)^2} = 2$$

$$\Rightarrow x^2 - (y-1)^2 + 1 = 2 \Rightarrow x^2 - (y-1)^2 = 1$$

$$\text{let } \left. \begin{array}{l} X = x \\ Y = y-1 \end{array} \right\} \Rightarrow X^2 - Y^2 = 1 \quad (\text{Standard form 1})$$

$$a^2 = 1, b^2 = 1 \Rightarrow a = 1, b = 1$$


$$c^2 = a^2 + b^2 = 2 \Rightarrow c = \sqrt{2}$$

$$\Rightarrow \text{Vertices are at } X = \pm 1, Y = 0 \Rightarrow x = \pm 1, y-1 = 0 \Rightarrow \boxed{(\pm 1, 1)}$$

$$\Rightarrow \text{Foci are at } X = \pm \sqrt{2}, Y = 0 \Rightarrow x = \pm \sqrt{2}, y-1 = 0 \Rightarrow \boxed{(\pm \sqrt{2}, 1)}$$

To find asymptotes, put the constant term to 0,

$$\Rightarrow X^2 - Y^2 = 0 \Rightarrow Y = \pm X \Rightarrow y-1 = \pm x \Rightarrow \boxed{\begin{array}{l} y = x+1 \\ y = -x+1 \end{array}}$$



$$\textcircled{3} \quad 9y^2 - 4x^2 - 36y - 8x = 4 \Rightarrow 9(y^2 - 4y) - 4(x^2 + 2x) = 4$$

$$\Rightarrow 9 \underbrace{(y^2 - 4y + 4 - 4)}_{(y-2)^2} - 4 \underbrace{(x^2 + 2x + 1 - 1)}_{(x+1)^2} = 4$$

$$\Rightarrow 9(y-2)^2 - 36 - 4(x+1)^2 + 4 = 4 \Rightarrow 9(y-2)^2 - 4(x+1)^2 = 36$$

$$\Rightarrow \frac{(y-2)^2}{4} - \frac{(x+1)^2}{9} = 1$$

$$\text{let } \left. \begin{array}{l} Y = y-2, X = x+1 \end{array} \right\} \Rightarrow \frac{Y^2}{4} - \frac{X^2}{9} = 1 \quad (\text{Standard form 2})$$

$$\Rightarrow a^2=4, b^2=9 \Rightarrow a=2 \text{ and } c^2=4+9=13 \Rightarrow c=\sqrt{13}$$

Vertices are at $X=0, Y=\pm 2 \Rightarrow x+1=0, y-2=\pm 2$

$$\Rightarrow \text{Vertices at } (-1, 2 \pm 2) = \boxed{(-1, 0) \text{ and } (-1, 4)}$$

Foci are at $X=0, Y=\pm\sqrt{13} \Rightarrow x+1=0, y-2=\pm\sqrt{13}$

$$\Rightarrow \text{Foci at } \boxed{(-1, 2 \pm \sqrt{13})}$$


For asymptotes Put constant term in $\frac{Y^2}{4} - \frac{X^2}{9} = 1$ to 0.

$$\Rightarrow \frac{Y^2}{4} - \frac{X^2}{9} = 0 \Rightarrow \frac{Y}{2} = \pm \frac{X}{3} \Rightarrow \frac{y-2}{2} = \pm \frac{x+1}{3}$$

$$\Rightarrow y-2 = \pm \frac{2}{3}(x+1) \Rightarrow y = \frac{2}{3}x + \frac{2}{3} + 2 \text{ and } y = -\frac{2}{3}x - \frac{2}{3} + 2$$

$$\Rightarrow y = \frac{2}{3}x + \frac{8}{3} \text{ and } y = -\frac{2}{3}x + \frac{4}{3}$$

$$\Rightarrow \boxed{3y = 2x + 8 \text{ and } 3y = -2x + 4}$$



Problem 4: Identify the type of conic whose equation is given and find the vertices and foci.

1. $x^2 = 4y - 2y^2$.

2. $3x^2 - 6x - 2y = 1$.

3. $x^2 - 2x + 2y^2 - 8y + 7 = 0$.

① $x^2 = 4y - 2y^2 \Rightarrow x^2 = -2(y^2 - 2y) \Rightarrow x^2 = -2\left(\frac{y^2 - 2y + 1 - 1}{(y-1)^2}\right)$
 $\Rightarrow x^2 = -2(y-1)^2 + 2$
 $\Rightarrow x^2 + 2(y-1)^2 = 2 \Rightarrow \frac{x^2}{2} + \frac{(y-1)^2}{1} = 1$

Let $\left. \begin{matrix} X = x \\ Y = y-1 \end{matrix} \right\} \Rightarrow \frac{X^2}{2} + \frac{Y^2}{1} = 1 \rightarrow \boxed{\text{Ellipse}}$ in standard form 1

$a^2 = 2, b^2 = 1 \Rightarrow c^2 = a^2 - b^2 = 2 - 1 = 1$
 $\Rightarrow a = \sqrt{2}, c = 1$

Vertices are at $X = \pm\sqrt{2}, Y = 0 \Rightarrow x = \pm\sqrt{2}, y-1 = 0$
 $\Rightarrow \boxed{(\pm\sqrt{2}, 1)}$

Foci are at $X = \pm 1, Y = 0 \Rightarrow x = \pm 1, y-1 = 0$
 $\Rightarrow \boxed{(\pm 1, 1)}$

② $3x^2 - 6x - 2y = 1 \Rightarrow 3(x^2 - 2x) = 2y + 1 \Rightarrow 3\left(\frac{x^2 - 2x + 1 - 1}{(x-1)^2}\right) = 2y + 1$
 $\Rightarrow 3(x-1)^2 - 3 = 2y + 1$
 $\Rightarrow 3(x-1)^2 = 2y + 4 \Rightarrow (x-1)^2 = \frac{2}{3}(y+2)$

Let $\left. \begin{matrix} X = x-1 \\ Y = y+2 \end{matrix} \right\} \Rightarrow X^2 = \frac{2}{3}Y \rightarrow \boxed{\text{Parabola}}$ in standard form 3

$\Rightarrow$ Vertex is at $X = 0, Y = 0 \Rightarrow x-1 = 0, y+2 = 0$
 $\Rightarrow \boxed{(1, -2)}$

and Focus is at $(0, p)$ where $4p = \frac{2}{3} \Rightarrow p = \frac{1}{6}$
 $\left. \begin{matrix} (0, p) \\ (X, Y) \end{matrix} \right\}$

$$\Rightarrow \text{Focus is at } X=0, Y=\frac{1}{6} \Rightarrow x-1=0, y+2=\frac{1}{6}$$

$$\Rightarrow x=1, y=-2+\frac{1}{6}=\frac{-11}{6} \Rightarrow \boxed{(1, -\frac{11}{6})}$$

$$\textcircled{3} \quad x^2 - 2x + 2y^2 - 8y + 7 = 0$$

$$\Rightarrow \underbrace{x^2 - 2x + 1 - 1}_{(x-1)^2} + 2 \underbrace{(y^2 - 4y + 4 - 4)}_{(y-2)^2} + 7 = 0$$

$$\Rightarrow (x-1)^2 - 1 + 2(y-2)^2 - 8 + 7 = 0$$

$$\Rightarrow (x-1)^2 + 2(y-2)^2 = 2 \Rightarrow \frac{(x-1)^2}{2} + \frac{(y-2)^2}{1} = 1$$

$$\text{let } \left. \begin{array}{l} X = x-1 \\ Y = y-2 \end{array} \right\} \Rightarrow \frac{X^2}{2} + \frac{Y^2}{1} = 1 \rightarrow \boxed{\text{Ellipse}} \text{ in standard form 1}$$

$$a^2 = 2, b^2 = 1 \Rightarrow c^2 = 2 - 1 = 1$$

$$\Rightarrow a = \sqrt{2}, c = 1$$

$$\Rightarrow \text{Vertices are at } X = \pm \sqrt{2}, Y = 0 \Rightarrow x-1 = \pm \sqrt{2}, y-2 = 0$$

$$\Rightarrow \boxed{(1 \pm \sqrt{2}, 2)}$$

$$\Rightarrow \text{Foci are at } X = \pm c, Y = 0 \Rightarrow x-1 = \pm 1, y-2 = 0$$

$$\Rightarrow (1 \pm 1, 2) = \boxed{(0, 2) \text{ and } (2, 2)}$$

Problem 5: Find an equation for the conic that satisfies the following conditions.

1. Parabola with vertex $(2, 2)$ and focus $(3, 2)$.
2. Ellipse with center $(-1, 4)$, vertex $(-1, 0)$, focus $(-1, 6)$.
3. Hyperbola with foci $(2, 0)$, $(2, 8)$, asymptotes $y = 3 + \frac{1}{2}x$ and $y = 5 - \frac{1}{2}x$.

$$\textcircled{1} \quad \text{Vertex at } (2, 2) \Rightarrow \text{we shift the origin at } (2, 2)$$

$$\text{let } (X, Y) \text{ be new coordinates} \Rightarrow \begin{array}{l} X = x - 2 \\ Y = y - 2 \end{array}$$

In new coordinates, focus is at $(3-2, 2-2) = (1, 0)$

$\Rightarrow P=1$. Since focus is on +ve-X axis, the parabola is in standard form 1

Thus, its equation in new coordinates is :-

$$Y^2 = 4PX \Rightarrow Y^2 = 4X$$

Therefore in old/original coordinates (x, y) we have :-

$$(y-2)^2 = 4(x-2) \Rightarrow y^2 - 4y + 4 = 4x - 8$$

$$\Rightarrow \boxed{y^2 - 4y - 4x + 12 = 0} \text{ is the equation of the given parabola.}$$

② Centre of ellipse is at $(-1, 4)$, vertex at $(-1, 0)$, focus at $(-1, 6)$
Thus, we shift the origin to $(-1, 4)$.

Let (X, Y) be new coordinates thus obtained.

$$\Rightarrow \underline{X = x+1, Y = y-4}$$

$\begin{matrix} x, y \\ (-1, 0) \\ \downarrow \\ (X, Y) \end{matrix}$ Standard Form 2 $\uparrow$

In new coordinates, vertex is at $(-1+1, 0-4) = (0, -4)$
 (X, Y)

In new coordinates focus is at $(-1+1, 6-4) = (0, 2)$

$$\text{Thus, } a=4 \text{ and } c=2 \Rightarrow b^2 = a^2 - c^2 = 4^2 - 2^2 = 16 - 4 = 12$$

$\Rightarrow$ In new coordinates, the ellipse has equation :-

$$\frac{x^2}{b^2} + \frac{y^2}{a^2} = 1 \Rightarrow \frac{X^2}{12} + \frac{Y^2}{16} = 1 \Rightarrow \frac{(x+1)^2}{12} + \frac{(y-4)^2}{16} = 1 \quad \left[\text{required eqn} \right]$$

$$\Rightarrow 16(x+1)^2 + 12(y-4)^2 = 192$$

$$\Rightarrow 16x^2 + 32x + 16 + 12y^2 - 96y + 192 = 192$$

$$\Rightarrow \boxed{16x^2 + 12y^2 + 32x - 96y + 16 = 0} \text{ is the required equation}$$

$\swarrow$ can be left as final answer.

③ Hyperbola with foci $(2, 0)$, $(2, 8)$

The asymptotes are $y = 3 + \frac{1}{2}x$ and $y = 5 - \frac{1}{2}x$

The intersection of asymptotes is the centre

$$\text{Equating } y: 3 + \frac{1}{2}x = 5 - \frac{1}{2}x \Rightarrow x = 5 - 3 = 2 \Rightarrow y = 3 + \frac{2}{2} = 4$$

$\Rightarrow$ The centre is at $(2, 4)$

So, we shift the origin at $(2, 4)$

The new coordinates (X, Y) thus obtained are given by :-

$$X = x - 2, \quad Y = y - 4$$

In new coordinates, the foci are $(2-2, 0-4)$, $(2-2, 8-4)$
 $= (0, -4)$, $(0, 4)$

$$\Rightarrow c = 4 \text{ ———— ①}$$

In new coordinates the asymptotes are given by :-

$$Y + 4 = 3 + \frac{1}{2}(X + 2) \text{ and } Y + 4 = 5 - \frac{1}{2}(X + 2)$$

$$\Rightarrow Y = \frac{1}{2}X \text{ and } Y = -\frac{1}{2}X$$

Now, the foci are on Y -axis and thus the equation of hyperbola

is of the form $\frac{Y^2}{a^2} - \frac{X^2}{b^2} = 1$ and asymptotes are of the form $Y = \pm \frac{a}{b}X$

$$\Rightarrow \frac{a}{b} = \frac{1}{2} \Rightarrow b = 2a$$

$$\text{From ①, } c = 4 \Rightarrow c^2 = 16 \Rightarrow a^2 + b^2 = 16 \Rightarrow a^2 + (2a)^2 = 16$$

$$\Rightarrow a^2 = \frac{16}{5} \Rightarrow b^2 = 4a^2 = \frac{64}{5}$$

$$\Rightarrow \text{Equation of hyperbola is } \frac{Y^2}{16/5} - \frac{X^2}{64/5} = 1$$

$$\Rightarrow \frac{5Y^2}{16} - \frac{5X^2}{64} = 1 \Rightarrow 20Y^2 - 5X^2 = 64$$

$$\Rightarrow 20(Y-4)^2 - 5(X-2)^2 = 64 \rightarrow \text{can be left here as final answer.}$$

$$\Rightarrow 20y^2 - 160y + 320 - 5x^2 + 20x - 20 = 64$$

$$\Rightarrow \boxed{20y^2 - 5x^2 - 160y + 20x + 236 = 0} \text{ is the required equation.}$$